

**For any other
communication**

Address: Vijayawada Branch Office-
First Floor, 56-2-11,, AP
MARKFED Building,
APIIC Colony, Jawahar
Auto Nagar, Vijayawada-
520007, Vijayawada,
KRISHNA, ANDHRA
PRADESH, 520007

Phone: 07382492833

Fax: 08912540861

E-Mail: vjbo@bis.gov.in

Web: www.bis.org.in,
www.manakonline.in

BUREAU OF INDIAN STANDARDS

Attachment to Licence No. CM/L- 6600050109

CM/L-No	Name of the Licensee with the Factory Address	Name of the Product	Indian Standard No.
6600050109	SENTINI FLOPIPES INDIA PVT LTD -SENTINI FLOPIPES INDIA PVT LTD , KOTHAPALLI KOWRUGUNTA DAGADARTHI MANDAL,SPSR , NELLORE : 524152	UNPLASTICIZED PVC PIPES FOR POTABLE WATER SUPPLIES SPECIFICATION Fourth Revision	IS 4985 : 2021

Endorsement No. 11 Dated 16-Oct-2023

Whereas, the licence was valid upto First November Two Thousand Twenty Three.

Now, consequent upon renewal, the validity of the licence given in schedule of the Licence Dated 31-OCT-2023 has been extended from First November Two Thousand Twenty Three to Thirty First October Two Thousand Twenty Four

Other terms and conditions of licence remain same.

Branch Head (Vijayawada Branch Office)

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002. ,9 Bahadur Shah Zafar Marg,
,DELHI,110002

Contact No: +91 11 23230131,
23233375, 23239402

Fax: +91 11 23234062, 232

Email: info@bis.gov.in

**For any other
communication**

Address: Vijayawada Branch Office-
First Floor, 56-2-11,, AP
MARKFED Building, APIIC
Colony, Jawahar Auto
Nagar, Vijayawada-520007,
Vijayawada,
KRISHNA, ANDHRA
PRADESH, 520007

Phone: 07382492833

Fax: 08912540861

E-Mail: vjbo@bis.gov.in

Web: www.bis.org.in,
www.manakonline.in

BUREAU OF INDIAN STANDARDS

Attachment to Licence No. CM/L- 6600057511

CM/L-No	Name of the Licensee with the Factory Address	Name of the Product	Indian Standard No.
6600057511	SENTINI FLOPIPES INDIA PVT LTD -SENTINI FLOPIPES INDIA PVT LTD , KOTHAPALLI KOWRUGUNTA DAGADARTHI MANDAL,SPSR , NELLORE : 524152	injection moulded PVC socket fittings with solvent cement joints for water supplies: Part 1 General requirements	IS 7834 : PART 1 :

Endorsement No. 4 Dated 14-Dec-2023

Whereas, the licence was valid upto Sixteenth January Two Thousand Twenty Four.

Now, consequent upon renewal, the validity of the licence given in schedule of the Licence Dated 15-JAN-2024 has been extended from Sixteenth January Two Thousand Twenty Four to Fifteenth January Two Thousand Twenty Five

Other terms and conditions of licence remain same.

Branch Head (Vijayawada Branch Office)

Contact No: +91 11 23230131,
23233375, 23239402

Fax: +91 11 23234062, 232

Email: info@bis.gov.in

**For any other
communication**

Address: Vijayawada Branch Office-
First Floor, 56-2-11,, AP
MARKFED Building,
APIIC Colony, Jawahar
Auto Nagar, Vijayawada-
520007, Vijayawada,
KRISHNA, ANDHRA
PRADESH, 520007

Phone: 07382492833

Fax: 08912540861

E-Mail: vjbo@bis.gov.in

Web: www.bis.org.in,
www.manakonline.in

BUREAU OF INDIAN STANDARDS

Attachment to Licence No. CM/L- 6600074410

CM/L-No	Name of the Licensee with the Factory Address	Name of the Product	Indian Standard No.
6600074410	SENTINI FLOPIPES INDIA PVT LTD -SENTINI FLOPIPES INDIA PVT LTD , KOTHAPALLI KOWRUGUNTA DAGADARTHI MANDAL,SPSR , NELLORE : 524152	Conduits for electrical installations: Part 3 Rigid plain conduits of insulating materials (superseding IS:2509)	IS 9537 : PART 3 : 1983

Endorsement No. 2 Dated 18-Oct-2023

Whereas, the licence was valid upto Seventh November Two Thousand Twenty Three.

Now, consequent upon renewal, the validity of the licence given in schedule of the Licence Dated 06-NOV-2023 has been extended from Seventh November Two Thousand Twenty Three to Sixth November Two Thousand Twenty Four

Other terms and conditions of licence remain same.

Branch Head (Vijayawada Branch Office)

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002. ,9 Bahadur Shah Zafar Marg,
,DELHI,110002

Contact No: +91 11 23230131,
23233375, 23239402

Fax: +91 11 23234062, 232

Email: info@bis.gov.in

**For any other
communication**

Address: Vijayawada Branch Office-
First Floor, 56-2-11,, AP
MARKFED Building,
APIIC Colony, Jawahar
Auto Nagar, Vijayawada-
520007, Vijayawada,
KRISHNA, ANDHRA
PRADESH, 520007

Phone: 07382492833

Fax: 08912540861

E-Mail: vjbo@bis.gov.in

Web: www.bis.org.in,
www.manakonline.in

BUREAU OF INDIAN STANDARDS

Attachment to Licence No. CM/L- 6600053410

CM/L-No	Name of the Licensee with the Factory Address	Name of the Product	Indian Standard No.
6600053410	SENTINI FLOPIPES INDIA PVT LTD -SENTINI FLOPIPES INDIA PVT LTD , KOTHAPALLI KOWRUGUNTA DAGADARTHI MANDAL,SPSR , NELLORE : 524152	Unplasticized Polyvinyl Chloride (pvc-u)screen And Casing Pipes For Bore/tubewell	IS 12818 : 2010

Endorsement No. 3 Dated 25-Jul-2023

Whereas, the licence was valid upto First September Two Thousand Twenty Three.

Now, consequent upon renewal, the validity of the licence given in schedule of the Licence Dated 31-AUG-2023 has been extended from First September Two Thousand Twenty Three to Thirty First August Two Thousand Twenty Four

Other terms and conditions of licence remain same.

Branch Head (Vijayawada Branch Office)

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002. ,9 Bahadur Shah Zafar Marg,
,DELHI,110002

Contact No: +91 11 23230131,
23233375, 23239402

Fax: +91 11 23234062, 232

Email: info@bis.gov.in

**For any other
communication**

Address: Vijayawada Branch Office-
First Floor, 56-2-11,, AP
MARKFED Building,
APIIC Colony, Jawahar
Auto Nagar, Vijayawada-
520007, Vijayawada,
KRISHNA,ANDHRA
PRADESH,520007

Phone: 07382492833

Fax: 08912540861

E-Mail: vjbo@bis.gov.in

Web: www.bis.org.in,
www.manakonline.in

BUREAU OF INDIAN STANDARDS

Attachment to Licence No. CM/L- 6600049209

CM/L-No	Name of the Licensee with the Factory Address	Name of the Product	Indian Standard No.
6600049209	SENTINI FLOPIPES INDIA PVT LTD -SENTINI FLOPIPES INDIA PVT LTD , KOTHAPALLI KOWRUGUNTA DAGADARTHI MANDAL,SPSR , NELLORE : 524152	Unplasticized Polyvinyl Chloride (PVC-U) Pipes for Soil and Waste Discharge System Inside and Outside Buildings Including Ventilation and Rainwater System	IS 13592 : 2013

Endorsement No. 4 Dated 13-Sep-2023

Whereas, the licence was valid upto First October Two Thousand Twenty Three.

Now, consequent upon renewal, the validity of the licence given in schedule of the Licence Dated 30-SEP-2023 has been extended from First October Two Thousand Twenty Three to Thirty September Two Thousand Twenty Four

Other terms and conditions of licence remain same.

Branch Head (Vijayawada Branch Office)

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002. ,9 Bahadur Shah Zafar Marg,
,DELHI,110002

Contact No: +91 11 23230131,
23233375, 23239402

Fax: +91 11 23234062, 232

Email: info@bis.gov.in

**For any other
communication**

Address: Vijayawada Branch Office-
First Floor, 56-2-11,, AP
MARKFED Building,
APIIC Colony, Jawahar
Auto Nagar, Vijayawada-
520007, Vijayawada,
KRISHNA, ANDHRA
PRADESH, 520007

Phone: 07382492833

Fax: 08912540861

E-Mail: vjbo@bis.gov.in

Web: www.bis.org.in,
www.manakonline.in

BUREAU OF INDIAN STANDARDS

Attachment to Licence No. CM/L- 6600049815

CM/L-No	Name of the Licensee with the Factory Address	Name of the Product	Indian Standard No.
6600049815	SENTINI FLOPIPES INDIA PVT LTD -SENTINI FLOPIPES INDIA PVT LTD , KOTHAPALLI KOWRUGUNTA DAGADARTHI MANDAL,SPSR , NELLORE : 524152	Unplasticized Polyvinyl Chloride (UPVC) Injection Moulded Fittings for Soil and Waste Discharge System for Inside and Outside Buildings Including Ventilation and Rain Water System -	IS 14735 : 1999

Endorsement No. 12 Dated 18-Oct-2023

Whereas, the licence was valid upto First November Two Thousand Twenty Three.

Now, consequent upon renewal, the validity of the licence given in schedule of the Licence Dated 31-OCT-2023 has been extended from First November Two Thousand Twenty Three to Thirty First October Two Thousand Twenty Four

Other terms and conditions of licence remain same.

Branch Head (Vijayawada Branch Office)

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002. ,9 Bahadur Shah Zafar Marg,
,DELHI,110002

Contact No: +91 11 23230131,
23233375, 23239402

Fax: +91 11 23234062, 232

Email: info@bis.gov.in

**For any other
communication**

Address: Vijayawada Branch Office-
First Floor, 56-2-11,, AP
MARKFED Building, APIIC
Colony, Jawahar Auto
Nagar, Vijayawada-520007,
Vijayawada,
KRISHNA, ANDHRA
PRADESH, 520007

Phone: 07382492833

Fax: 08912540861

E-Mail: vjbo@bis.gov.in

Web: www.bis.org.in,
www.manakonline.in

BUREAU OF INDIAN STANDARDS

Attachment to Licence No. CM/L- 6600056509

CM/L-No	Name of the Licensee with the Factory Address	Name of the Product	Indian Standard No.
6600056509	SENTINI FLOPIPES INDIA PVT LTD -SENTINI FLOPIPES INDIA PVT LTD , KOTHAPALLI KOWRUGUNTA DAGADARTHI MANDAL,SPSR , NELLORE : 524152	Unplasticized Non-Pressure Polyvinyl Chloride (PVC -U) Pipes for use in Underground Drainage and Sewerage Systems -	IS 15328 : 2003

Endorsement No. 3 Dated 04-Nov-2023

Whereas, the licence was valid upto Twenty Fifth November Two Thousand Twenty Three.

Now, consequent upon renewal, the validity of the licence given in schedule of the Licence Dated 24-NOV-2023 has been extended from Twenty Fifth November Two Thousand Twenty Three to Twenty Fourth November Two Thousand Twenty Four

Other terms and conditions of licence remain same.

Branch Head (Vijayawada Branch Office)

Contact No: +91 11 23230131,
23233375, 23239402

Fax: +91 11 23234062, 232

Email: info@bis.gov.in

**For any other
communication**

Address: Vijayawada Branch Office-
First Floor, 56-2-11,, AP
MARKFED Building,
APIIC Colony, Jawahar
Auto Nagar, Vijayawada-
520007, Vijayawada,
KRISHNA,ANDHRA
PRADESH,520007

Phone: 07382492833

Fax: 08912540861

E-Mail: vjbo@bis.gov.in

Web: www.bis.org.in,
www.manakonline.in

BUREAU OF INDIAN STANDARDS

Attachment to Licence No. CM/L- 6600049310

CM/L-No	Name of the Licensee with the Factory Address	Name of the Product	Indian Standard No.
6600049310	SENTINI FLOPIPES INDIA PVT LTD -SENTINI FLOPIPES INDIA PVT LTD , KOTHAPALLI KOWRUGUNTA DAGADARTHI MANDAL,SPSR , NELLORE : 524152	Chlorinated polyvinyl chloride (CPVC) pipes for potabvle hot and cold water distribution supplies -	IS 15778 : 2007

Endorsement No. 4 Dated 30-Aug-2023

Whereas, the licence was valid upto First October Two Thousand Twenty Three.

Now, consequent upon renewal, the validity of the licence given in schedule of the Licence Dated 30-SEP-2023 has been extended from First October Two Thousand Twenty Three to Thirty September Two Thousand Twenty Four

Other terms and conditions of licence remain same.

Branch Head (Vijayawada Branch Office)

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002. ,9 Bahadur Shah Zafar Marg,
,DELHI,110002

Contact No: +91 11 23230131,
23233375, 23239402

Fax: +91 11 23234062, 232

Email: info@bis.gov.in